





STOCK CODE	DESCRIPTION
<b>PROVISION</b> <b>ISR</b> <i>Now you can see!</i>	
<b>Provision AHD DVR</b>	
SA-4100AHD-1(MMA)	4CH 720P AHD or 960H Analogue Real-Time DVR, Output: HDMI, VGA & CVBS, Mini Metal Case, Audio In/Out, Alarm In/Out, 1 SATA (4TB), 100FPS, RS-485
SA-4100AHD-2L(MM)	4CH 1080P or 960H Analogue Real-Time DVR, Output: HDMI & VGA, Mini Metal Case, Audio In/Out, 1 SATA (6TB), 100FPS, RS-485
SA-4050AHD2(MMA)	4CH 1080P Half-Real time DVR, 720P AHD or 960H Analogue Real-Time, <u>Output: HDMI, VGA, &amp; CVBS</u> , Audio In/Out, Alarm In/Out, 1 SATA (4TB), 100FPS, RS-485 <b>+1CH IP</b>
<b>8 CH AHD</b>	
SA-8200AHD-1(MM)	8CH 720P AHD or 960H Analogue Real-Time DVR, Output: HDMI & VGA, Mini Metal Case, Audio In/Out, 1 SATA (4TB), 200FPS, RS-485 <b>+1CH IP</b>
SA-8200AHD-2L(MM)	8CH 1080P or 960H Analogue Real-Time DVR, Output: HDMI & VGA, Mini Metal Case, Audio In/Out, 1 SATA (4TB), 200FPS, RS-485
SA-8100AHD-2	8CH 1080P Half-Real time DVR, 720P AHD or 960H Analogue Real-Time, <u>Output: HDMI, VGA, &amp; CVBS</u> , Audio In/Out, Alarm In/Out, 1 SATA (4TB), 100FPS, RS-485 <b>+ 4CH IP</b>
<b>16 CH AHD</b>	
SA-16200AHD-1	16CH Half-Real time DVR, 720P AHD or 960H Analogue Real-Time, Output: HDMI & VGA, Small 1U Case, Audio In/Out, 1 SATA (4TB), 200FPS, RS-485 <b>+ 2CH IP</b>
SA-16200AHD-2L	16CH 1080P or 960H Analogue Real-Time DVR, Output: HDMI & VGA, Audio In/Out, 1 SATA (4TB), 400FPS, RS-485
SA-16200AHD(1U)	16CH Half-Real time DVR, 720P AHD or 960H Analogue Real-Time, Output: HDMI & VGA, Audio In/Out, 2 SATA (4TB), 400FPS, RS-485 <b>+ 2CH IP</b>
SA-16200AHD-2(1U)	16CH 1080P Half-Real time DVR, 8CH 1080P Real-Time, 720P AHD or 960H Analogue Real-Time, <u>Output: HDMI, VGA &amp; CVBS</u> , Audio In/Out, Alarm In/Out, 2 SATA (4TB), 200FPS, RS-485 <b>+ 8CH IP</b>
<b>32CH AHD</b>	
SA-32400AHD-2(2U)	32CH 1080P Half-Real time DVR, 16CH 1080P Real-Time, 720P AHD or 960H Analogue Real-Time, Output: HDMI & VGA, Audio In/Out, Alarm In/Out, 8 SATA (4TB), 400FPS, RS-485
<b>AHD CAMERA'S</b>	
<b>DOME 1.3MP</b>	
DI-380AHDB36	1.3MP AHD Dome, 15m IR , 720P AHD or 960H Analogue, 1/3" 1.3MP Sensor, 3.6mm Mega-Pixel Fixed Lens (Plastic) <u>indoor only</u>
DI-380AHDE36	1.3MP AHD Dome, 15m IR (24 LED), 720P AHD or 960H Analogue, 1/3" 1.3MP Sensor, 3.6mm Mega-Pixel Fixed Lens
DI-380AHDEVF	1.3MP AHD Dome, 25m IR (36 LED), 720P AHD or 960H Analogue, 1/3" 1.3MP Sensor, 2.8-12mm Mega-Pixel Vari-focal Lens
DI-380AHDVF	1.3MP AHD Dome, 25m IR (3 LED Array), 720P AHD or 960H Analogue, 1/3" 1.3MP Sony Sensor, 2.8-12mm Mega-Pixel Vari-focal Lens
<b>DOME 2MP</b>	
DI-390AHDE36	2MP AHD Dome, 15m IR (24 LED), 1080P AHD or 960H Analogue, 1/3" 2MP Sensor, 3.6mm Mega-Pixel Fixed Lens
DI-390AHD36	2MP AHD Dome, 20m IR (2 LED Array), 1080P AHD or 960H Analogue, 1/3" 2MP Sensor, 3.6mm Mega-Pixel Fixed Lens
DI-390AHDEVF	2MP AHD Dome, 25m IR (36 LED), 1080P AHD or 960H Analogue, 1/3" 2MP Sensor, 2.8-12mm Mega-Pixel Vari-focal Lens
DI-390AHDVF	2MP AHD Dome, 25m IR (3 LED Array), 1080P AHD or 960H Analogue, 1/3" Sony 2MP Sensor, 2.8-12mm Mega-Pixel Vari-focal Lens

STOCK CODE	DESCRIPTION	 <i>Now you can see!</i>
<b>BULLET 1.3MP</b>		
I1-380AHDB36	1.3MP AHD Bullet, 15m IR (24 LED), 720P AHD or 960H Analogue, 1/3" 1.3MP Sensor, 3.6mm Mega-Pixel Fixed Lens Plastic case Indoor use	
I1-380AHDE36	1.3MP AHD Bullet, 15m IR (24 LED), 720P AHD or 960H Analogue, 1/3" 1.3MP Sensor, 3.6mm Mega-Pixel Fixed Lens	
I3-380AHDE36	1.3MP AHD Bullet, 25m IR (36 LED), 720P AHD or 960H Analogue, 1/3" 1.3MP Sony Sensor, 3.6mm Mega-Pixel Fixed Lens	
I4-380AHDEVF	1.3MP AHD Bullet, 35m IR (42 LED), 720P AHD or 960H Analogue, 1/3" 1.3MP Sensor, 2.8-12mm Mega-Pixel Vari-focal Lens	
I4-380AHDVF	1.3MP AHD Bullet, 40m IR (4 LED Array), 720P AHD or 960H Analogue, 1/3" 1.3MP Sony Sensor, 2.8-12mm Mega-Pixel Vari-focal Lens	
<b>BULLET 2MP</b>		
I3-390AHDE36	2MP AHD Bullet, 25m IR (36 LED), 1080P AHD or 960H Analogue, 1/3" 2MP Sensor, 3.6mm Mega-Pixel Fixed Lens	
I3-390AHD36	2MP AHD Bullet, 25m IR (3 LED Array), 1080P AHD or 960H Analogue, 1/3" Sony 2MP Sensor, 3.6mm Mega-Pixel Fixed Lens	
I4-390AHDEVF	2MP AHD Bullet, 35m IR (42 LED), 1080P AHD or 960H Analogue, 1/3" 2MP Sensor, 2.8-12mm Vari-focal Lens	
I4-390AHDVF	2MP AHD Bullet, 40m IR (4 LED Array), 1080P AHD or 960H Analogue, 1/3" Sony 2MP Sensor, 2.8-12mm Mega-Pixel Vari-focal Lens	
<b>AHD BOX CAMERA'S</b>		
BX-380AHD	1.3MP AHD Pro Series Box, 720P AHD or 960H Analogue, 1/3" Sensor, Sony Chipset, CS Lens (excludes lens)	
<b>AHD COVERT CAMERA'S</b>		
IV-390AHD37	2MP Covert PIR, 10m IR (18 IR LED), 720P AHD or 960H Analogue, 1/3" 2MP Sony Sensor, 3.7mm Pinhole lens, Not Water Resistant	
MC-392AHD37	2MP Covert Pinhole, No Infra Red, 1/3" 1.3MP Sony Sensor, 3.7mm Pinhole lens, Backlight Compensation, Not Water Resistant	
DS-392AHD37	2MP Covert Smoke Detector, No Infra Red, 1/3" 2MP Sony Sensor, 3.7mm Pinhole lens, Backlight Compensation, Not Water Resistant	
<b>AHD PTZ CAMERA'S</b>		
Z-10AHD-1(IR)	1MP AHD PTZ, Mini Ultra-Z, 30FPS, 60m Intelligent IR LED, 720P, 1.3" CMOS Sensor, 10X Optical Zoom	
Z-22AHD(IR)-1(P)	1MP AHD PTZ, Ultra-Z, 30FPS, 100m Intelligent IR LED, 720P, 1.3" CMOS Sensor, 20X Optical Zoom	
Z-20AHD-2(IR)	2MP AHD PTZ, Ultra-Z, 30FPS, 100m Intelligent IR LED, 1080P, 1.3" CMOS Sensor, 20X Optical Zoom	

STOCK CODE	DESCRIPTION
<b>PROVISION</b> 	
<i>Now you can see!</i>	
<b>CCTV AHD KITS</b>	
0022 - 4CH AHD FULL KIT	Includes 1x SA-4100AHD-2L(MM) DVR, 1x 500GB HDD, 1x 18.5" LED Monitor, 4x I1-380AHDB36 or 4x DI-380AHDB36 Cameras, 1x 5A PSU, 8x BNC connectors, 4x 25cm DC male plugs, 4x 25cm DC female plugs, 100m Powax cable
0023 - 8CH AHD FULL KIT	Includes 1x SA-8200AHD-1(MM) DVR, 1x 500GB HDD, 1x 18.5" LED Monitor, 8x I1-380AHDE36 or 8x DI-380AHDE36 Cameras, 2x 5A PSU, 16x BNC connectors, 8x 25cm DC male plugs, 8x 25cm DC female plugs, 200M Powax cable
0024 - 16CH AHD FULL KIT	Includes 1x SA-16400AHD-1 DVR, 1x 500GB HDD, 1x 18.5" LED Monitor, 16x I1-380AHDE36 or 16x DI-380AHDE36 Cameras, 1x 12A 16CH PSU, 32x BNC connectors, 16x 25cm DC male plugs, 400m Powax cable
0025 - 8CH AHD FULL KIT + 4 CAMERAS	Includes 1x SA-8200AHD-1(MM) DVR, 1x 500GB HDD, 1x 18.5" LED Monitor, 4x I1-380AHDE36 or 4x DI-380AHDE36 Cameras, 1x 5A PSU, 8x BNC connectors, 4x 25cm DC male plugs, 4x 25cm DC female plugs, 100M Powax cable
0026 - 1080P 4CH AHD FULL KIT	Includes 1x SA-4050AHD2(MMA) DVR, 1x 500GB HDD, 1x 18.5" LED Monitor, 4x I3-390AHD36 or 4x DI-390AHD36 Cameras, 1x 5A PSU, 8x BNC connectors, 4x 25cm DC male plugs, 4x 25cm DC female plugs, 100M Powax cable
0027 - 1080P 8CH AHD FULL KIT	Includes 1x SA-8100AHD-2 DVR, 1x 500GB HDD, 1x 18.5" LED Monitor, 8x I3-390AHD36 or 8x DI-390AHD36 Cameras, 2x 5A PSU, 16x BNC connectors, 8x 25cm DC male plugs, 8x 25cm DC female plugs, 200M Powax cable
0028 - 1080P 16CH AHD FULL KIT	Includes 1x SA-16200AHD-2(1U) DVR, 1x 500GB HDD, 1x 18.5" LED Monitor, 16x I3-390AHD36 or 16x DI-390AHD36 Cameras, 1x 12A PSU, 32x BNC connectors, 16x 25cm DC male plugs, 400M Powax cable
<b>PROVISION - IP - NVR</b>	
NVR2-4100(MM)	4CH CONVENTIONAL NVR, 4CH 1080P Real-time, Output: HDMI & VGA, Small 1U Case, 1 SATA (4TB), 200/240FPS
NVR-4100P	4CH PLUG & VIEW NVR, 4CH 720P Real-time, Output: HDMI, VGA & CVBS, Small 1U Case, Audio In/Out, Alarm In/Out, 1 SATA (4TB), 100/120FPS
NVR2-8200(MM)	8CH CONVENTIONAL NVR, 8CH 1080P Real-time, Output: HDMI & VGA, Small 1U Case, 1 SATA (4TB), 200/240FPS
NVR-16400	16CH CONVENTIONAL NVR, 16CH 720P Real-time, 8CH 1080P, Output: HDMI, VGA & CVBS, Small 1U Case, Audio In/Out, Alarm In/Out, 1 SATA (4TB), 400/480FPS
NVR3-16400(MM)	16CH CONVENTIONAL NVR, 4MP Real-Time, Output: HDMI & VGA, Mini Metal Case, Audio In/Out, 1 SATA (6TB), 400/480FPS
NVR3-16400(1U)	16CH CONVENTIONAL NVR, 4MP Real-Time, Output: HDMI & VGA, 1U Case, Audio In/Out, Alarm In/Out, 2 SATA (6TB), 400/480FPS
NVR3-16400-8P(1U)	16CH CONVENTIONAL & PLUG 'n VIEW HYBRID NVR, 4MP Real-Time with 8CH PoE, Output: HDMI & VGA, 1U Case, Audio In/Out, Alarm In/Out, 2 SATA (6TB), 400/480FPS
NVR3-32800(1U)	32CH CONVENTIONAL NVR, 32CH 4MP Real-time, Output: HDMI & VGA, Small 1U Case, Audio In/Out, Alarm In/Out, 2 SATA (6TB), 800/960FPS
NVR3-32800(2U)	32CH CONVENTIONAL NVR, 32CH 4MP Real-time, Output: HDMI & VGA, 2U Case, Audio In/Out, Alarm In/Out, 8 SATA (6TB), 800/960FPS
NVR3-32800-16P(2U)	32CH CONVENTIONAL & PLUG 'n VIEW HYBRID NVR, 4MP Real-Time with 16CH PoE, Output: HDMI & VGA, 2U Case, Audio In/Out, Alarm In/Out, 8 SATA (6TB), 800/960FPS
NVR5-16400(1U)	16CH 5MP NVR REAL TIME 25FPS EACH CH 2X HDD 6TB 400FPS, HDMI/VGA H.265
NVR5-32800(1U)	32CH CONVENTIONAL NVR, 32CH 5MP Real-time, Output: HDMI & VGA, Small 1U Case, Audio In/Out, Alarm In/Out, 2 SATA (6TB), 800/960FPS H.265
NVR5-32800-16P(2U)	32CH CONVENTIONAL & PLUG 'n VIEW HYBRID NVR, 5MP Real-Time with 16CH PoE, Output: HDMI & VGA, 2U Case, Audio In/Out, Alarm In/Out, 8 SATA (6TB), 800/960FPS H.265

STOCK CODE	DESCRIPTION
 <i>Now you can see!</i>	
PROVISION - IP CAMERA'S	
I3-380IPE36	1.3MP IP Bullet Camera, 30FPS, 30m IR (42 IR LED), 960P, 1/3" CMOS Sensor, 3.6mm Mega-Pixel Fixed Lens, with POE, Sony Chipset
I3-380IP04	1.3MP IP Bullet Camera, 30m IR (42 IR LED), 960P, 1/3" CMOS Sensor, 3.6mm Fixed Lens, with POE, Metal Casing
I3-380IPVF	1.3MP IP Bullet Camera, 30m IR (36 IR LED), 960P, 1/3" CMOS, 2.8-12mm Vari-focal Lens, with POE, Metal Casing
I3-390IPA36	2MP IP Bullet Camera, 30FPS, 30m IR (42 IR LED), 1080P, 1/3" CMOS Sensor, 3.6mm Mega-Pixel Fixed Lens, with POE, X-Sight Series
I4-380IPVF	1.3MP IP Bullet Camera, 40m IR (48 IR LED), 960P, 1/3" CMOS , 2.8-12mm Vari-focal Lens, with POE, Metal Casing
I3-390IP04	2MP IP Bullet Camera, 30FPS, 30m IR (42 IR LED), 1080P, 1/3" CMOS Sensor, 3.6mm Mega-Pixel Fixed Lens, with POE, Metal Casing, Sony Chipset
I4-390IPVF	2MP IP Bullet Camera, 30FPS, 40m IR (48 IR LED), 1080P, 1/3" CMOS Sensor, 2.8-12mm Mega-Pixel Vari-focal Lens, with POE, Metal Casing, Sony Chipset
I3-310IPH04	3MP IP Bullet Camera, 15FPS, 30m IR (42 IR LED), 2048x1536, 1/3" CMOS Sensor, 3.6mm Mega-Pixel Fixed Lens, Aptina Chipset
I3-330IP536	3MP IP Bullet Camera, 30FPS, 30m IR (42 IR LED), 2048x1536, 1/3" CMOS Sensor, 3.6mm Mega-Pixel Fixed Lens, Eye-Sight Series
I4-310IPHVF	3MP IP Bullet Camera, 15FPS, 40m IR (48 IR LED), 2048x1536, 1/3" CMOS Sensor, 2.8-12mm Vari-Focal Lens, Aptina Chipset
I4-310IPVF	3MP IP Bullet Camera, 30FPS, 40m IR (48 IR LED), 2048x1536, 1/3" CMOS Sensor, 2.8-12mm Vari-Focal Lens, Sony Chipset
I3-340IP536	4MP IP Bullet Camera, 30FPS, 30m IR (42 IR LED), 2688x1520, 1/3" CMOS Sensor, 3.6mm Mega-Pixel Fixed Lens, Eye-Sight Series
I4-340IP5VF	4MP IP Bullet Camera, 30FPS, 40m IR (48 IR LED), 2688x1520, 1/3" CMOS Sensor, 3-11mm Mega-Pixel Vari-Focal Lens, Eye-Sight Series
I4-390IPAVF	2MP IP Bullet Camera, 30FPS, 40m IR (48 IR LED), 1080P, 1/3" CMOS Sensor, 2.8-12mm Mega-Pixel Vari-focal Lens, with POE, X-Sight Series
DAI-380IP04	1.3MP IP Dome Camera, 15m IR (24 IR LED), 960P, 1/3" CMOS Sensor, 3.6mm Mega-Pixel Fixed Lens, with POE, Anti-Vandal

STOCK CODE	DESCRIPTION
	<b>PROVISION</b> <b>ISR</b> <i>Now you can see!</i>
I4-251IP5VF	5MP IP Bullet Camera, 30FPS, 40m IR (48 IR LED), 2592x1944, 1/1.8" CMOS Sensor, 3.3-10.5mm Mega-Pixel Vari-Focal Lens, Dark-Sight Series
DI-380IPVF	1.3MP IP Dome Camera, 25m IR (42 IR LED), 960P, 1/3" CMOS Sensor, 2.8-12mm Vari-focal Lens, with POE, Vandal Proof, Metal Casing
DAI-390IP04	2MP IP Dome Camera, 30FPS, 15m IR (24 IR LED), 1080P, 1/3" CMOS Sensor, 3.6mm Mega-Pixel Fixed Lens, with POE, Vandal-Proof, Sony Chipset
DAI-390IPAVF	2MP IP Dome Camera, 30FPS, 25m IR (30 IR LED), 1080P, 1/3" CMOS Sensor, 2.8-12mm Mega-Pixel Vari-focal Lens, with POE, Anti-Vandal, X-Sight Series
DI-390IPVF	2MP IP Dome Camera, 30FPS, 25m IR (42 IR LED), 1080P, 1/3" CMOS Sensor, 2.8-12mm Mega-Pixel Vari-focal Lens, with POE, Metal Casing, Sony Chipset
DAI-310IPH04	3MP IP Dome Camera, 15FPS, 15m IR (24 IR LED), 2048x1536, 1/3" CMOS Sensor, 3.6mm Mega-Pixel Fixed Lens, Anti-Vandal, Aptina Chipset
DI-310IPHVF	3MP IP Dome Camera, 15FPS, 25m IR (30 IR LED), 2048x1536, 1/3" CMOS Sensor, 2.8-12mm Vari-Focal Lens, Aptina Chipset
DAI-330IP5VF	3MP IP Dome Camera, 30FPS, 40m IR (48 IR LED), 2048x1536, 1/3" CMOS Sensor, 2.8-12mm Vari-Focal Lens, Vandal-proof, Eye-Sight Series
DAI-310IPVF	3MP IP Dome Camera, 30FPS, 25m IR (30IR LED), 2048x1536, 1/3" CMOS Sensor, 2.8-12mm Vari-focal Lens, Vandal-proof, Sony Chipset
DAI-340IP536	4MP IP Dome Camera, 30FPS, 15m IR (24 IR LED), 2688x1520, 1/3" CMOS Sensor, 3.6mm Mega-Pixel Fixed Lens, Vandal-proof, Eye-Sight Series
DAI-340IP5VF	4MP IP Dome Camera, 30FPS, 25m IR (30 IR LED), 2688x1520, 1/3" CMOS Sensor, 3-11mm Mega-Pixel Vari-Focal Lens, Vandal-proof, Eye-Sight Series
DAI-251IP5VF	5MP IP Dome Camera, 30FPS, 25m IR (30 IR LED), 2592x1944, 1/1.8" CMOS Sensor, 3.3-10.5mm Mega-Pixel Vari-Focal Lens, Vandal-proof, Dark-Sight Series
IP CAMERA'S - BOX	
BX-380IP	1.3MP IP Box Camera, 960P, 1/3" CMOS Sensor, with POE
BX-390IP	2MP IP Box Camera, 1080P, 1/3" CMOS Sensor, with POE
IP CAMERA'S - PTZ	
Z-20IP-1(IR)	1.3MP IP PTZ, Ultra-Z, 30FPS, 100m IR, 720P, 1.3" CMOS Sensor, 20X Optical Zoom
Z-20IP-2(IR)	2MP IP PTZ, Ultra-Z, 30FPS, 150m IR, 1080P, 1/2.8" CMOS Sensor, 20X Optical Zoom
Z-30IP-1(IR)	1.3MP IP PTZ, Ultra-Z, 30FPS, 100m IR, 720P, 1.3" CMOS Sensor, 30X Optical Zoom
Z-30IP-2(IR)	2MP IP PTZ, Ultra-Z, 30FPS, 150m IR, 1080P, 1/2.8" CMOS Sensor, 30X Optical Zoom

STOCK CODE	DESCRIPTION	 <i>Now you can see!</i>
<b>PLUG N VIEW WIRELESS CAMERA'S</b>		
PT-737	1MP IP Plug & View Wireless camera, 30FPS, 10m IR (12 IR LED), 1/4" CMOS Sensor, 3.6mm Fixed Lens, 2 Way Audio with Built-in Microphone, Pan & Tilt, Micro SD card slot	
F-717	1MP IP Plug & View Wireless camera, 30FPS, 10m IR (12 IR LED), 1/4" CMOS Sensor, 3.6mm Fixed Lens, 2 Way Audio with Built-in Microphone, Micro SD card slot	
WP-717	1MP IP Plug & View Wireless Bullet camera, 30FPS, 15m IR (2 LED Array), 1/4" CMOS Sensor, 3.6mm Fixed Lens, IP66 weatherproof rating, Micro SD card slot	
<b>CCTV IP KITS</b>		
0014 - 4CH CONVENTIONAL IP MINI KIT	1x NVR2-4100(MM) Conventional NVR, 4x I3-380IPE36 or 4x DAI-380IPE36 Cameras	
0015 - 8CH CONVENTIONAL IP MINI KIT	1x NVR2-8200(MM) Conventional NVR, 4x I3-380IPE36 or 4x DAI-380IPE36 Cameras	
0016 - 16CH CONVENTIONAL IP MINI KIT	1x NVR-16400 Conventional NVR, 8x I3-380IPE36 or 8x DAI-380IPE36 Cameras	
0017 - 8CH P&V IP MINI KIT	1x NVR3-16400-8P(1U) P&V NVR, 4x I3-380IPE36 or 4x DAI-380IPE36 Cameras	
0018 - 16CH P&V IP MINI KIT	1x NVR3-32800-16P(2U) P&V NVR, 8x I3-380IPE36 or 8x DAI-380IPE36 Cameras	
0019 - 4CH P&V IP FULL KIT	Includes 1x NVR-4100P P&V NVR, 1x 1TB HDD, 1x 23" LCD Monitor, 4x I3-380IPE36 or 4x DI-480IPE28 Cameras, 8x RJ45, 8x Boots, 100m CAT5 cable	
0020 - 8CH P&V IP FULL KIT	Includes 1x NVR3-16400-8P(1U) P&V NVR, 1x 2TB HDD, 1x 23" LCD Monitor, 8x I3-380IPE36 or 8x DI-480IPE28 Cameras, 16x RJ45, 16x Boots, 200m CAT5 cable	
0021 - 16CH P&V IP FULL KIT	Includes 1x NVR3-32800-16P(2U) P&V NVR, 1x 2TB HDD, 1x 23" LCD Monitor, 16x I3-380IPE36 or 16x DI-480IPE28 Cameras, 32x RJ45, 32x Boots, 400m CAT5 cable	
<b>ACCESSORIES</b>		
WARNING	Warning Sign	
MIC	CCTV Microphone	
<b>Lenses</b>		
0358DV	Focal Length 3.5-8mm, 1.3" Format, Aperture 1:1.4, CS Mount, Auto Iris, Vari-focal	
05100DV	Focal Length 5-50mm, 1.3" Format, Aperture 1:1.4, CS Mount, Auto Iris, Vari-focal,	
0550DCMP-1	1MP Resolution, Focal Length 5-50mm, 1.3" Format, Aperture 1:1.6, CS Mount, Auto Iris, Vari-focal	
0560MP	1.3MP Resolution, Focal Length 5-60mm, 1/2.7" Format, Aperture 1:1.6, CS Mount, Auto Iris, Vari-focal	
2812MP	1.3MP Resolution, Focal Length 2.8-12mm, 1.3" Format, Aperture 1:1.4, CS Mount, Auto Iris, Vari-focal	
0308DCMP	2MP Resolution, Focal Length 3.5-8mm, 1.3" Format, Aperture 1:1.4, Auto Iris, Vari-focal, CS Mount	
02812DCMP-3	3MP Resolution, Focal Length 2.8-12mm, 1/2.7" Format, Aperture 1:1.4, CS Mount, Auto Iris, Vari-focal	
0550DCMP-2	2MP Resolution, Focal Length 5-50mm, 1.3" Format, Aperture 1:1.6, CS Mount, Auto Iris, Vari-focal	
<b>PTZ CONTROLLERS</b>		
CO6	Allows you to control the PTZ cameras connected to this unit from anywhere using the remote control 1.2KM	
CO24	Allows you to control the Mini PTZ cameras connected to this unit from anywhere using the remote control	

STOCK CODE

DESCRIPTION


*Now you can see!*

## BRACKETS / HOUSINGS / JUNCTION BOXES


B01	Pendant Mount Bracket for models Z-27E & Z-36E
B02	Wall Mount Bracket for models Z-27E & Z-36E
B03	Corner Mount Bracket for models Z-27E & Z-36E
B04	Pole Mount Bracket for models Z-27E & Z-36E
PR-B01	Bracket for Long/Short Housing, Material : Aluminum, Water Resistant
PR-B05	Size : 79(W)*74(H)*145(L)mm, Angle : 360/90 D, Material : Aluminum, Water Resistant
PR-B05L	Size : 79(W)*74(H)*193(L)mm, Angle : 360/90 D, Material : Aluminum, Water Resistant
PR-B20JB	Junction box for AHD BIG Dome & Bullet cameras, available in White only
PR-B30JB	Junction Box for AHD Small Dome & Bullet cameras, available in White only
PR-B37JB	Junction Box for AHD Small Dome & Bullet cameras, available in White only
PR-B40C	AHD PTZ CEILING PENDANT MOUNT BRACKET
PR-B40EC	AHD PTZ EXTERNAL CORNER BRACKET
PR-B40P	AHD PTZ POLE MOUNT BRACKET
PR-B06B/W	Junction Box for Analogue Vari-focal Dome Cameras, available in Black
PR-B07-B/W	Junction Box for Analogue Mini Dome Cameras, available in Black & White
PR-H01	Aluminium Housing for box camera, Size : 142(W)x115(H)x370(L)mm, Direct Sunlight Sensitive, Material : Aluminium, Water Resistant
PR-H03	Aluminium Housing for box camera, Direct Sunlight Sensitive, Material : Aluminium, Water Resistant, Side open
PR-H05	Heater and Fan for all housing models, Input Power : 12V 24V 220V, Temperature : 5 c~24 C, Heater starts working when temperature is below 5 degrees, Work Current : 700mA-1300mA, Fan starts working when temperature is higher than 48 degrees, Work Current : 200mA. 60*60/80*80mm

## CONNECTORS


PR-C01	BNC Male to RCA Female
PR-C02	T connector, BNC Female to 2 BNC Female
PR-C03	T connector, BNC Male to 2 BNC Female
PR-C04	BNC Female to RCA Male
PR-C05	BNC Female to RCA Female
PR-C06	BNC Male to RCA Male
PR-C07	BNC Female to BNC Female
PR-C08	DC Jack Male
PR-C09	DC Jack Female
PR-C10	DC Cable (25 cm length)
PR-C11	DC Cable Female (15 cm)
PR-C12	Screw BNC + Boot
PR-C13	BNC Plug 3Pcs
PR-C13C	BNC Plastic Boot
PR-C15	Female BNC Plug
RS-485	RS-232 to RS-485 Convertor
RJ45	RJ 45 Connector
BOOT	RJ 45 Boot
RJ 45 INLINE CONNECTOR	RJ 45 Inline Connector

## DUMMY CAMERA'S

PR-D01	Dome shape, (Flash light) Material : Plastic, Size : $\Phi$ 117*80mm
PR-D04	Bullet shape, (Flash light) Material : Plastic, Size : $\Phi$ 80*260mm

STOCK CODE	DESCRIPTION	 <i>Now you can see!</i>
<b>CABLE</b>		
RG-10M	10m RG59 Powax cable including BNC connectors and DC plugs	
RG59-20M	20m RG59 Powax cable including BNC connectors and DC plugs	
RG-59 100M	RG59 Powax cable, 0.75mm Power, sold in 100M	
RG-59 300M	RG59 Powax cable, 0.75mm Power, 300M	
RG-59 500M	RG59 Powax cable, 0.75mm Power, 500M	
CAT5-100M	CAT 5 Cable - 100m Roll	
CAT5-300M	CAT 5 Cable - 300m Roll	
CAT5-500M	CAT 5 Cable - 500m Roll	
RIPCORDER 0.22MM	Ripcord, 0.22mm Alarm Cable, White, 100m	
RIPCORDER 0.5MM	Ripcord, 0.5mm Alarm Cable, 100m	
4CORE SOLID	4 Core Alarm Cable, Solid, 4x0.5MM, 100m	
4CORE STRANDED	4 Core Stranded Alarm Cable, 100m	
6CORE SOLID	6 Core Alarm Cable, Solid, 6x0.5MM, 100m	
6CORE STRANDED	6 Core Alarm Cable, Stranded, 6x0.5MM, 100m	
8CORE SOLID	8 Core Alarm Cable, Solid, 8x0.5MM, 100m	
8CORE STRANDED	8 Core Stranded Alarm Cable, 100m	
12CORE SOLID	12 Core Solid Alarm Cable, 12x0.5mm,100m	
12CORE STRANDED	12 Core Stranded Alarm Cable, 100m	
20CORE SOLID	.50MM Solid 20 Core	
<b>SURGE PROTECTORS</b>		
PR-SPV	1CH Video surge protector. Nominal/Max Discharge Current : 5/10KA .	
PR-SPVP	1CH Video + Power (12-24V AC/DC) surge protector. Nominal/Max Discharge Current : 5/10KA	
<b>CONVERTORS / TRANSMITTERS / SPLITTERS</b>		
PR-VGATOBNC	VGA to AV Converter 1920x1200 Max Res	
PR-VIDEO+POWER	1CH Video + Power over 1 Coax Cable (up to 300m RG59). Power Output to Camera : 12VDC 800mA Max (Transmitter requires 24VDC Power)	
PR-VRS485	1CH Video + RS485 over 1 Coax Cable (up to 300m RG59). Both Receiver and Transmitter requires 12VDC Power.	
PTR-101V-HD	Provision-ISR UTP Balun for AHD cameras, 300m video only (sold in packs of 2)	
PTR-102VP-HD	Provision-ISR UTP Balun for AHD cameras, 300m video + power (sold in packs of 2)	
PTR-401V	4CH transmit or receive, plug & play, real-time transmit CCTV video signal, video is clear and stable, working with passive transceiver is 300m, working with active transceiver is 600m.	
VGA SPLITTER	VGA Splitter 1 in 2 out	
<b>HARD DRIVES - AV - SURVEILLANCE</b>		
HDD500TOSHIBA AV	Toshiba DT01ABA050V, 500GB Drive	
HDD 1TB TOSHIBA AV	Toshiba DT01ABA100V, 1TB Drive	
HDD2TB-TOSHIBA	Toshiba DT01ABA200V, 2TB Drive	
HDD 3TB TOSHIBA AV	Toshiba DT01ABA300V, 3TB Drive	
HDD4TBWD	Western Digital, 4TB Drive	
<b>SCREENS / MONITORS / TEST MONITORS</b>		
LCD19	18.5" LED Screen	
LCD 24"	24" LED Screen	
PR-TFT7A	Provision-ISR 7" monitor, 2 video in, 1 audio in, built in speakers, Black or White frame	
PR-TFT9A	Provision-ISR 9" monitor, 2 video in, 1 audio in, built in speakers, Black or White frame, Full Color	
TM-35BL	Provision Analogue CCTV Test Monitor, 3.5" LCD Monitor With Network Tester	
TM-43AHDBL	Provision AHD CCTV Test Monitor, 4.3" LCD Monitor With Network Tester, All format support: 2MP AHD / 1MP AHD / Analogue, Audio in with Built-in Speaker, Hands Free Operation	



STOCK CODE	DESCRIPTION
 <i>Now you can see!</i>	
<b>BATTERIES / POWER SUPPLIES / UPS</b>	
UPS600	UPS 600VA
UPS-1400	UPS 1400VA
UPS 2000VA	UPS 2000VA
IPS 12040	Power supply for SL1050/10100 220V ONLY
PSU40VA	16VAC 40VA Fused Power Supply
BATTERY 12V 1.3	12V 1.3A/H Sealed Lead Acid Battery
BATTERY 7AH	12 VOLT 7 A/H Sealed Lead Acid Battery
PSU5V	Power supply 5V 1A
PR-12V1A-A	Power supply 12V 1A
PR-12V3A	Power supply 12V 3A
PR-12V5A-4	Power supply 12V 5A + 4-way DC cable splitter
PR-5A8CH-B	Provision-ISR 12V 5A Professional power supply for 8CH, battery backup (No battery included)
PR-10A9CH-B	Provision-ISR 12V 5A Professional power supply for 8CH, battery backup (No battery included)
PR-10A9CH	Provision-ISR 12V 10A Professional power supply for 9CH, includes kettle cable
PR-12A16CH	Provision-ISR 12V 12A Professional power supply for 16CH, includes kettle cable
<b>PoE SWITCHES / EXTENDERS</b>	
PoE-01	None PoE Power Over Ethernet Transmitter/Receiver, Transmit DC Power and Ethernet Over Ethernet Cable, 50 Meter Working Distance
POE-02	1 to 2 CH PoE Extender, Split 1 Ch PoE to 2Ch and Extend PoE Signal additional 150 meter, 2 Ch Output, max 20W
PoE-0460+2	4+2-Port 10/100 Mbps PoE Switch, Downlink: 4x100Mbps Ports, Uplink: 2x 100Mbps Port, 60 watt (Avg:15w Max 30W per ch), CCTV Mode up to 250M at 10Mbps
POE-0460G+2G	4+2-Port Giga PoE Switch,4x 10/100/1000 Mbps Ports, All Ports Act As Both Downlink/Uplink, Uplink: 2 x 1G Port, 60watt (Avg:14w Max 32W per ch)
POE-08120+1	8+1-Port 10/100 Mbps PoE Switch, Downlink: 8x100Mbps Ports, Uplink: 1x 100Mbps Port, 120 watt (Avg:15w Max 30W per ch)
POE-08120+2	8+2-Port 10/100 Mbps PoE Switch, Downlink: 8x100Mbps Ports, Uplink: 2x 100Mbps Port, 120 watt (Avg:15w Max 30W per ch), CCTV Mode up to 250M at 10Mbps
POE-08120G	8-Port Giga PoE Switch, 8x 10/100/1000 Mbps Ports, All Ports Act As Both Downlink/Uplink, 120 watt (Avg:15w Max 32W per ch), Built in LCD Screen, Rack mounted
POE-16250+2	16+2Combo-Port 10/100 Mbps PoE Switch, Downlink: 16x100Mbps Ports, Uplink: 2 x 1G port or 2 SFP (Combo) (Optical), 250 watt (Avg:15w Max 30W per Ch), Rack Mounted
POE-16240G	16-Port Gigabit PoE Switch, 16x 10/100/1000 Mbps Ports, All Ports Act As Both Downlink/Uplink, 260 watt (Avg:18.5w Max 32W per ch), Built in LCD Screen, Rack mounted
PoE-24370+2	24+2Combo-Port 10/100 Mbps PoE Switch, Downlink: 24x100Mbps Ports, Uplink: 2 x 1G Port or 2 SFP (Combo) (optical), 370 watt (Avg:15w Max 30W per ch), Rack Mounted
POE-24330G+2SFP	24+2SFP-Port Giga PoE Switch, 24x 10/100/1000 Mbps Ports, All Ports Act As Both Downlink/Uplink, Uplink: 2 x SFP Slots, 330 watt (Avg:14w Max 32W per ch), Built in LCD Screen, Rack mounted
POEI-0115	1 Ch PoE Ethernet Injector, Turn Non-PoE Port to PoE port, 1Ch 10/100 POE 15W power up to 100M built in surge protector
POE-SP-0112S	1 Ch PoE Ethernet Splitter, Split PoE Port to DC Power + 10/100 Mbps Ethernet, 12W power, Adjustable output 5VDC/2A, or 9VDC/1.5A or 12VDC/1A
POER-01	1 Ch PoE Extender (Repeater), Extend PoE Signal with addition100 meter, Automatically Detects and Protects PoE Equipment from getting damaged by incorrect Installation
EOC-01	Provision-ISR, EPOC allows to transmit Ethernet signal over coax cable, Up To 150 Meter
EPOC-01	Ethernet & Power Over Coax (EPOC), Allows to transmit both Power and Ethernet signal over coax cable, Up To 500 Meter